



INTEGRATED TECH CABINET

Your IT Infrastructure, All in One Cabinet.



www.chargeups.ph

Exclusively Distributed By:



ChargeUPS Integrated Tech Cabinet

ChargeUPS' Integrated Tech Closet is a new-generation edge infrastructure solution, integrating the UPS, PDU, cooling, monitoring, system connectivity, and remote and distributed management into one complete system. Also known as a micro data center, it is pre-tested, pre-installed, and pre-commissioned before delivery, enabling quick and efficient deployment on site.


Its web-based remote monitoring function enables remote O&M for individual sites, while its compact, integrated design makes it suitable for remote and distributed locations.



Features Overview

- Precision Air Conditioning
- DCIM & Security
- Power Distribution System (PDU)
- Uninterrupted Power Supply (UPS)
- Fire Suppression System
- AI Cooling & AI Battery Health Monitoring Features
- Others

Applications & Use Cases



ChargeUPS VAULT™

Single Rack Integrated Tech Cabinet

Item No.	Standard single rack
System Size (W*D*H)-mm	600*1200*2000
Power input	220/230/240Vac, 50/60Hz, 1Ph+N+PE
Enclosure type	Enclosed cold and hot aisle Glass front door + solid metal rear door
Color	RAL9005-Black
System IP rating	IP50
UPS rating	3KVA/6KVA/10KVA
Recommended IT load	2.4~3.5kW
Available U space	28U-32U
Cooling	Self-contained DX 3.5kW Split DX -4.2kW
PDU outlets	1x basic 20*C13+4 *C19
User interface	10.1 inch touch screen
Connectivity	SNMP/HTTP
Remote monitoring	PC end, mobile APP
Sensor included	1x smoke/1x water leakage/1x Temperature/Humidity
Options	ATS/EBM/BMS/intelligent PDU...etc *

* Please contact local sales representative.

* Due to continuous product improvement programs, specifications are subject to change without notice.

SECURE RACK

- IP50 protection, earthquake rated
- Can bear 20% higher load than other brands
- Glass front door + metal rear door
- Intelligent Electrical door lock and release

PREFAB POWER DISTRIBUTION

- Infrastructure devices in the cabinet are factory preinstalled and wiring
- Intelligent PDM to tracking the load and PUE
- Lighting

POWER PROTECTION

- High efficiency UPS (3-10kVA) provides best in class protection for all your critical applications



INTELLIGENT MANAGEMENT

- SNMP connectivity
- Remotely manage via internet Web or phone APP
- 10.1" Touch LCD provides information and control at your fingertips
- Cybersecurity passed

DYNAMIC MONITORING

- Built in sensors track environmental parameters and provides timely alerts
- Temp and humidity sensors to track environment status
- Smoke and water leak sensors to prevent any environment risk
- Status lighting system – 3 colors

PRECISION COOLING

- CE certified in-rack air-conditioning circulates air quickly due to proximity to heat sources.
- R410A environment friendly refrigerant
- Have Split and Self-contained option.
- Compatible for both Gravity drain and condensate pump

Single rack typical configuration

	Typical configuration 1	Typical configuration 2	Typical configuration 3
	Standard Single Rack	Standard Single Rack	Standard Single Rack
Unit model	PMSS6K3E	PMSS6K4S	PMSS10K4S
Power input	220V/1P	220V/1P	380/400/415Vac, 50/60Hz, 3Ph+N+PE
Recommended IT load	3kW	3.5kW	3.5kW
Available U space	TBD	32U	28U
PUE (optimized value*)	TBD	1.34	1.34
System Size (W*D*H)	600*1200*2000	600*1200*2000	600*1200*2000
system protection class	IP50	IP50	IP50
Rack and Enclosure system			
Enclosure type	Fully enclosed Hot and Cold Aisles(Glass front door plus sold sheetmetal rear door		
Rack Size(W*D*H)*	600*1200*2000	600*1200*2000	600*1200*2000
Rack QTY	1	1	1
Door lock	Electronic lock	Electronic lock	Electronic lock
Seismic level	Level 8	Level 8	Level 8
LED lighting included	Yes	Yes	Yes
atmosphere lights (3 colors)	Yes	Yes	Yes
UPS and power distribution system			
UPS configuration	1x 6kva	1x 6kva	1x 10kva
UPS model	Unity IoT RT 6K	Unity IoT RT 6K	Unity IoT RT 10K
UPS efficiency	95%	95%	95%
EBM included	1 EBM as standard	1 EBM as standard	1 EBM as standard
Power meter included	Yes	Yes	Yes
lightning protection	C grade	C grade	C grade
PDU type	Basic as standard metered/switched as optional	Basic as standard metered/switched as optional	Basic as standard metered/switched as optional
PDU QTY	Standard: 1pcs/rack	Standard: 1pcs/rack	Standard: 1pcs/rack
PDU outlets	20*C13+4 *C19	20*C13+4 *C19	20*C13+4 *C19
PDU Certificates	CE	CE	CE
ATS/STS included	No-optional	No-optional	No-optional
Cooling system			
Cooling type	self-contained DX	split DX	split DX
Input Voltage/Frequency	200-240V/50~60Hz	200-240V/50~60Hz	200-240V/50~60Hz
Cooling capacity	3.5kw	4.2kW	4.2kW
Air volume	800m³/h	800m³/h	800m³/h
Form Factor in total	8U	5U	5U
Refrigerant type	R410a	R410a	R410a
Condensate Pump included	N/A	Yes	Yes
Pump lift-m (if yes)	N/A	5	5
Evaporative kit	Yes	NA	NA
Monitoring system			
User interface	10.1 inch touch screen		
Connectivity	SNMP/HTTP	SNMP/HTTP	SNMP/HTTP
Remote monitoring	PC end, Mobile APP		
Smoke sensor included	1	1	1
water leakage sensor included	1x rope type(5m)	1x rope type(5m)	1x rope type(5m)
Temp/Humidity sensor	1	1	1
Emergency plan (fire/high temp)	Pop-up Door	Pop-up Door	Pop-up Door
Camrea support	Yes	Yes	Yes
Certificates	CE-UPS/cooling Cybersecurity Rack-Seismic 8 level	CE-UPS/cooling Cybersecurity Rack-Seismic 8 level	CE-UPS/cooling Cybersecurity Rack-Seismic 8 level

* 600mm width by default and 800mm optional

* Due to continuous product improvement programs, specifications are subject to change without notice.

ChargeUPS MATRIX™

Multiple Rack Integrated Tech Cabinet

Item No.	Multiple rack row
System Size (W*D*H)-mm	(1800~4200)x1400x2000
Rack quantity	3~7
Power input	380/400/415Vac, 50/60Hz, 3Ph+N+PE
Enclosure type	Enclosed cold and hot aisle Glass front door + solid metal rear door
Color	RAL9005-Black
System IP rating	IP50
UPS rating	10kVA~40kVA
Recommended IT load	7~21kW
Available U space	18U-24U enclosure; 36U-42U enclosure
Cooling	Split DX -8kW
PDU outlets	1x basic 20*C13+4 *C19-main cabinet; 2x basic 20*C13+4 *C19 per IT cabinet
User interface	10.1 inch touch screen
Connectivity	SNMP/HTTP
Remote monitoring	PC end, mobile APP
Sensor included	1~2x smoke, 1x water leakage, 1x Temperature/Humidity per rack
Options	ATS/EBM/BMS/intelligent PDU...etc *

* Please contact local sales representative.

* Due to continuous product improvement programs, specifications are subject to change without notice.

SECURE RACK

- Cold + Hot Aisle contained
- IP50 protection, earthquake rated
- Glass front door + metal rear door
- Intelligent Electrical door lock and release
- UP to 7 Racks

PREFAB POWER DISTRIBUTION

- Infrastructure devices in the cabinet are factory pre-installed and wiring
- Intelligent PDM to tracking the load and PUE

POWER PROTECTION

- High efficiency UPS (10-40kVA) provides best in class protection for all your critical applications



INTELLIGENT MANAGEMENT

- 10.1" ON-SITE Touch LCD provides information and control at your fingertips
- Remotely manage via internet Web or phone APP
- SNMP connectivity
- Cybersecurity passed
- Built in sensors (Temp/ Humidity/ Smoke/ Leak etc)
- Status Lighting system – 3 colors

PRECISION COOLING

- CE certified in-rack air-conditioning
- 8kw split system
- VSD compressor + EC fan
- R410A environment friendly refrigerant
- Compatible for both Gravity drain and condensate pump